

Printed : 7/28/2017 11:38 AM EST

DE Board of Veterinary Medicine

08/08/2017 01:00 PM

861 Silver Lake Blvd., Cannon Building
Second Floor Conference Room A
Dover, DE 19904

Posted: 07/28/2017 BS



CANNON BUILDING
861 SILVER LAKE BLVD.,
SUITE 203
DOVER, DELAWARE
19904-2467

STATE OF DELAWARE

**BOARD OF VETERINARY
MEDICINE**

TELEPHONE: (302) 744-4500

FAX: (302) 739-2711

WEBSITE: DPR.DELAWARE.GOV

EMAIL:
CUSTOMERSERVICE.DPR@STATE.DE.US

AGENDA

(Amended Items marked by Asterisk)

I. Call to Order

II. Review and Approval of Minutes - June 13, 2017

III. Unfinished Business

IV. New Business

- A. Ratification of Veterinary Application(s) by Reciprocity
- B. Review of Veterinary Technician Application(s)
- C. Status of Complaint(s)
 1. Complaint #28-02-17 - Dismissed
 2. Complaint #28-01-17 - Dismissed
- D. Review of Veterinary Technician Application
 1. Deborah Vischer-Johnson

V. Correspondence

- A. Federation or Associations of Regulatory Boards

VI. Other Business before the Board (For Discussion Only)

VII. Public Comment

VIII. Next Meeting Date - September 12, 2017

IX. Adjournment

Please Take Note: To assure consideration of an application at a meeting, the Board office must receive all of these items no later than 4:30 p.m. ten full working days before the meeting date:

- Completed, signed and notarized application form,
- Fee payment, and

- All required documentation.

A final amended agenda will be published to reflect any items received after the original agenda is posted.

Unforeseen circumstances may result in a meeting being cancelled due to a lack of quorum.

Pursuant to 29 Delaware Code, Section 10004(e)(2), the Board shall pre-announce or pre-publish all Executive Sessions; however, such agenda shall be subject to change to include additional items including Executive Sessions which arise at the time of the body's meeting.

MEMBERS: PLEASE CALL THE BOARD OFFICE AT 302-744-4500  OR EMAIL customerservice.dpr@state.de.us IMMEDIATELY IF YOU CANNOT ATTEND THE MEETING. THANK YOU.